

AND STATES OF STATES OF AN AREA OF AN AREA OF A STATE OF A STATES OF A STATES

Pioneer Hi-Bred International, Inc.

TUltereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF Protection for an alleged novel variety of sexually reproduced plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with. And the title thereto is, from the records of the **Plant** variety protection office, in the **APPLICANT(S)** indicated in the said copy, and **WHEREAS.** Upon due examination made, the said applicant(s) is (are) adjudged to a certificate of plant variety protection under the LAW.

NOW, TAEREFORE, THIS CERTIFICATE OF PLANT VARIETY IKOTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RICHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING 1T, OR USING IT IN PRODUCING A HYBRID OR VIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

' 5482'

In Lestimony Watercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 30th day of June in

the year of our Lord one thousand nine hundred and eighty-three.

Co . And . A

Attest

Commissioner

Grain Division

Agricultural Marketing Service

UNITED STATES. DEPARTMENT OF **AGRICULTURE** FORM APPROVED AGRICULTURAL MARKETING SERVIC LIVESTOCK, POULTRY, GRAIN & SEED DIV OMB NO. 40-R3822 GRAIN & SEED DIVISION No certificate for plant variety Protection may APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE be issued unless a completed application form has been received (5 U.S.C. 553). INSTRUCTIONS: See Reverse TEMPORARY DESIGNATION OF VARIETY NAME FOR OFFICIAL USE ONLY la. PV NUMBER 8200116 5482 **5482** KIND NAME 3. GENUS AND SPECIES NAME FILING DATE A.M. ЖM. <u>5/11/82</u> FEE RECEIVED Sovbean Glycine max FAMILY NAME (BOTANICAL) 5. DATE OF DETERMINATION 5/11/82 *500.00* 1.9.76 October, 5/23/83 250.00 January, 1979(increase) Legumi nosae NAME OF APPLICANT(S) 7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP TELEPHONE AREA CODE AND NUMBER Code) **Pi oneer** Hi - Bred 1206 Mulberry Street-International. Inc. (319)277-1733 Mbi nes. Iowa 50308 Des APPLICANT IS NOT A PERSON, FORM 10. IF INCORPORATED, GIVE STATE AND DATE OF INCOR-IF THE NAMED (Corporation, partnership, association, PORATION ORGANIZATION: DATE OF INCORPORATION 1926 I o w a Corporation OF APPLICANT REPRESENT TIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE 12. NAME AND MAILING ADDRESS PAPERS: Dale L. Porter Clark W Jenni ngs Mul berry Street Box 854 50308 50613 Cedar falls, Iowa Des Mbi nes. Iowa 13 CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED: 13A, Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.) 1 3B. Exhibit B, Novelty Statement. 13C. Exhibit C, Objective Description of the Variety (Requestform from Plant Variety Protection Office.) 13D. Exhibit D, Additional Description of the Variety. 14a. DOES APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a). (If "Yes," answer 14B and 14C below.) Y E SX NO "YES," TO 14B, HOW MANY GENERATIONS OF PRODUC-14b. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY IF LIMITED AS TO NUMBER OF GENERATIONS7 TION BEYOND BREEDER SEED? NO [X] FOUNDATION REGISTERED YES CERTIFIED DID THE APPLICANT(S) FILE FOR PROTECTION OF name Of countries and dates THIS VARIETY IN OTHER COUNTRIES? 15a. X NO (If "Yes, "give YES (If 'Yes," givename of countries HAVE RIGHTS BEEN GRANTED THIS VARIETY IN OTHER COUNTRIES? T YES and dates.) DOES THE APPLICANT(S) AGREE TO THE PUBLICATION OF HIS/HER (THEIR) NAME(S) AND ADDRESS IN THE OFFICIAL 16. X YES JOURNAL7 NO The applicant(s) declare(s) that a viable sample of basic seed of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties, (DATE) (SIGNATURE OF APPLICANT)

Attachment: 5482 Soybean (April, 1982)

Exhibit A: Variety 5482 evolved from a cross of Dare X Forrest. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 5482 was grown in Mississippi during the summer of 1976. Subsequently, 5482 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

1.0 acre of 5482 (pedigree seed) was grown in 1979. 50 acres of parent seedstock were grown in 1981.

Exhibit B: Variety 5482 is most similar to the variety Forrest. However, Forrest is resistant to soybean cyst nematode (race 3), whereas 5482 is susceptible.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BE LTSVI LLE, MARY LAND 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		5482
AODR ESS (Street and No., or R. F. D. No., City, State, and Zip Co.	de)	FOR OFFICIAL USE ONLY
1206 Mulberry Street		PVPO NUMBER
Des Moines, Iowa 50308		8200116
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	•	<u> </u>
1. SEED SHAPE:) ()	
c 1 , W	1 1	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Spherical Flattened	(L/W ratio > 1.2: L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened	(L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
7 H/3 6/14/87 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebe	soy';'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 4 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bi	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
cl 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
c I 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b) c I		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green w 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71 4 = Dark Purple extending to unifotiate leaves ('Hodgson		('Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovat	e 4 = Other (Specify)	

INSTRUCTIONS

GENERAL: Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filing fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Give the date the applicant determined that he had a new variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) . the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties:

 (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.



11. LEAFLET SIZE: 2 = Medium ('Corsoy 79'; 'Gasoy 17') 1 = Small ('Amsoy 71'; 'A5312') c2 | 3 = Large ('Crawford'; 'Tracy') 12. LEAF COLOR: 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy') 13. FLOWER COLOR: 1 = White 2 = Purple 3 = White with purple throat 14. POD COLOR: 1 = Tan 2 = Brown 3 = Black 15. PLANT PUBESCENCE COLOR: 2 = Brown (Tawny) 1 = Gray c 2 i 16. PLANT TYPES:

2 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') 2 = Intermediate ('Amcor'; 'Braxton')

17, PLANT HABIT:

1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')
a 1 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

18. MATURITY GROUP:

0 8 1 = 000 2 = 00 3 = 0 4 = I 5 = 11 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = x

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible: 2 = Resistant)

BACTERIAL DISEASES:

a 2 Bacterial Pustule (Xanthomonas phaseoli var. sojensis)

c 2 | Bacterial Blight (Pseudomonas glycinea)

2. Wildfire (Pseudomonas tabaci)

FUNGAL DISEASES:

O Brown Spot (Septoria glycines)

Frogeye Leaf Spot (Cercospora sojina)

Race 1 Race 2 C Race 3 Race 4 Race 5 C Other (Specify)

O Target Spot (Corynespora cassiicola)

Downy Mildew (Peronospora trifoliorum var. manshurica)

Powdery Mildew (Microsphaera diffusa)

O Brown Stem Rot (Cephalosporium gregatum)

Stem Canker (Diaporthe phaseolorum var. caulivora)

4

19. DISEASE REACTION: (En	9. DISEASE REACTION: (Enter 0 ■ Not Tested; 1 ■ Susceptible; 2 ■ Resistant) (Continued)							
FUNGAL DISEASES:	FUNGAL DISEASES: (Continued)							
O Pod and Stem E	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)							
Purple Seed Sta	Purple Seed Stain (<i>Cercospora kikuchii</i>)							
Rhizoctonia <i>Ro</i>								
Phytophthora R	Phytophthora Rot (Phytophthora megasperma var. sojae)							
Race	Race 1 Race 2 cl 0 Race 3 Race 4 O Race 5 O Race 6 O Race 7							
0 Race 8	Race 8 O Cother (Specify)							
VIRAL DISEASES:								
$_{_{ m C}}$ $oldsymbol{0}_{\parallel}$ Bud Blight (Tob	pacco Ringspot Virus)							
	(Bean Yellow Mosaic Virus)							
Cowpea Mosaic	(Cowpea Chlorotic Virus)							
Pod Mottle (Be	an Pod Mottle Virus)							
a () Seed Mottle (So	oybean Mosaic Virus)							
NEMATODE DISEAS	ES:							
Soybean Cyst N	Soybean Cyst Nematode (Heterodera glycines)							
1 Race 1								
O Lance Nematod	Lance Nematode (Hoplolaimus Colombus)							
0 Southern Root	Southern Root Knot Nematode (Meloidogyne incognita)							
c 0 / Northern Root	(** * * * * * * * * * * * * * * * * * *							
1 1	Pennut Poet Knet Nematode / Meleidegype granavial							
Reniform Nema	atode (Rotylenchulus reniformis)							
0 OTHER DISEAS								
	DNSES: (Enter 0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)						
C 0 Iron Chlorosis on Calcareous Soil								
Other (Specify)								
21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)								
Mexican Bean Beetle (Epilachna varivestis)								
Potato Leaf Hopper <i>(Empoasca fabae)</i>								
O Other (Specify)								
22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.								
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF	VARIETY				
Plant Shape	Essex	Seed Coat Luster	Forrest					
Leaf Shape	Forrest	Seed Size	Forrest					
Leaf Color	Forrest	Seed Shape	Forrest					
Leaf Size	Forrest	Seedling Pigmentation	Forrest					

FORM LMGS-470-57 (2-82) Page 3 Of 4

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted 5482	108	1. 6	76						
Name of , Similar Variety FORTEST	110 .	2. 2	84						

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.